U.S. DEPARTMENT OF COMMERCE
National Technical Information Service
PB-272 594

Determination of Kinetics of Phosphorus Mineralization in Soils Under Oxidizing Conditions

Kansas State Univ, Manhattan Dept of Agronomy

Prepared for
Robert S Kerr Environmental Research Lab Ada, Okla

Aug 77

PB 272 594

REPRODUCED BY
NATIONAL TECHNICAL
INFORMATION SERVICE

[redacted]

Research reports of the Office of Research and Development, U.S. Environmental Protection Agency, have been grouped into nine series. These nine broad categories were established to facilitate further development and coordination of the environmental technology transfer and a maximum interface in related fields. The nine series are:

1. Environmental Health Effects Research
2. Environmental Protection Technology
3. Ecological Research
4. Environmental Monitoring
5. Socioeconomic Environmental Studies
6. Scientific and Technical Assessment Reports (STAR)
7. Interagency Energy-Environment Research and Development
8. "Special" Reports
9. Miscellaneous Reports

This report has been assigned to the ENVIRONMENTAL PROTECTION TECHNOLOGY series. This series describes research performed to develop and demonstrate instrumentation, equipment, and methodology to repair or prevent environmental degradation from point and non-point sources of pollution. This work provides the new or improved technology required for the control and treatment of pollution sources to meet environmental quality standards.

This document is available to the public through the National Technical Information Service, Springfield, Virginia 22161.

TECHNICAL REPORT DATA
(Please read Instructions on the reverse before completing)

PB272594

1. REPORT NO. EPA-600/2-77-180	2.
3. RECIPIENT'S ACCESSION NO.	
4. TITLE AND SUBTITLE: DETERMINATION OF KINETICS OF PHOSPHORUS MINERALIZATION IN SOILS UNDER OXIDIZING CONDITIONS	5. REPORT DATE: August 1977 (receipt date)
	6. PERFORMING ORGANIZATION CODE
7. AUTHOR(S): V. V. Subbarao; Roscoe Ellis, Jr.	8. PERFORMING ORGANIZATION REPORT NO.
9. PERFORMING ORGANIZATION NAME AND ADDRESS: Department of Agronomy, Kansas State University, Manhattan, Kansas 66506	10. PROGRAM ELEMENT NO. 1BC611; 11. CONTRACT/GRANT NO. R803936
12. SPONSORING AGENCY NAME AND ADDRESS: Robert S. Kerr Environmental Research Lab. - Ada, OK; Office of Research and Development; U. S. Environmental Protection Agency; Ada, Oklahoma 74820	13. TYPE OF REPORT AND PERIOD COVERED: Final Report; 14. SPONSORING AGENCY CODE: EPA/600/15
15. SUPPLEMENTARY NOTES	

16. ABSTRACT

In search of a better approach to predict phosphorus movement in soils from applied wastewaters, reactions of added orthophosphates were studied in 9 different soils with widely varying physical and chemical properties. Information obtained on the nature and rate of P reaction will be coupled with P adsorption data to derive mathematical models for P movement in soils from applied wastewaters.

Compounds having higher solubility than variscite were formed which changed to crystalline variscite with time upon adding $Ca(H_2PO_4)_2 \cdot H_2O$ to acid soils. Monocalcium phosphate monohydrate in alkaline soils transformed to relatively insoluble $CaHPO_4 \cdot 2H_2O$, $CaHPO_4$, $Ca_3(PO_4)_2$, $Ca_4H(PO_4)_3 \cdot 2\frac{1}{2}H_2O$, and $Ca_{10}(OH)_2(PO_4)_6$. The rate of transformation in both acid as well as alkaline soils was P rate dependent; slower with increased P rates.

17. KEY WORDS AND DOCUMENT ANALYSIS

a. DESCRIPTORS	b. IDENTIFIERS/OPEN ENDED TERMS	c. COSATI Field/Group
Chemical kinetics Soil chemistry Physical chemistry Sewage treatment Water reclamation Sorption	Phosphorus kinetics Solubility products	11-B 02-A 07-D 08-D

18. DISTRIBUTION STATEMENT: RELEASE TO PUBLIC	19. SECURITY CLASS (This Report): UNCLASSIFIED	21. NO. OF PAGES: 74
	20. SECURITY CLASS (This page): UNCLASSIFIED	22. PRICE: NTIS

EPA Form 2220-1 (9-73)

EPA-600/3-77-180
August 1977

DETERMINATION OF KINETICS OF PHOSPHORUS MINERALIZATION IN SOILS UNDER OXIDIZING CONDITIONS

by

V. V. Subbarao
Roscoe Ellis, Jr.
Department of Agronomy
Kansas State University
Manhattan, Kansas 66506

Grant No. R801916

Project Officer

Carl G. Enfield
Wastewater Management Branch
Robert S. Kerr Environmental Research Laboratory
Ada, Oklahoma 74820

ROBERT S. KERR ENVIRONMENTAL RESEARCH LABORATORY
OFFICE OF RESEARCH AND DEVELOPMENT
U.S. ENVIRONMENTAL PROTECTION AGENCY
ADA, OKLAHOMA 74820

DISCLAIMER

This report has been reviewed by the Robert S. Kerr Environmental Research Laboratory, U.S. Environmental Protection Agency, and approved for publication. Approval does not signify that the contents necessarily reflect the views and policies of the U.S. Environmental Protection Agency, nor does mention of trade names or commercial products constitute endorsement or recommendation for use.

FOREWORD

The Environmental Protection Agency was established to coordinate administration of the major Federal programs designed to protect the quality of our environment.

An important part of the agency's effort involves the search for information about environmental problems, management techniques and new technologies through which optimum use of the nation's land and water resources can be assured and the threat pollution poses to the welfare of the American people can be minimized.

EPA's Office of Research and Development conducts this search through a nationwide network of research facilities.

As one of these facilities, the Robert S. Kerr Environmental Research Laboratory is responsible for the management of programs to: (a) investigate the nature, transport, fate and management of pollutants in groundwater; (b) develop and demonstrate methods for treating wastewaters with soil and other natural systems; (c) develop and demonstrate pollution control technologies for irrigation return flows; (d) develop and demonstrate pollution control technologies for animal production wastes; (e) develop and demonstrate technologies to prevent, control or abate pollution from the petroleum refining and petrochemical industries; and (f) develop and demonstrate technologies to manage pollution resulting from combinations of industrial wastewaters or industrial/municipal wastewaters.

This report contributes to the knowledge essential if the EPA is to meet the requirements of environmental laws that it establish and enforce pollution control standards which are reasonable, cost effective and provide adequate protection for the American public.

William C. Galegar
Director
Robert S. Kerr Environmental Research Laboratory

ABSTRACT

In search of a better approach to predict phosphorus movement in soils from applied wastewaters, reactions of added orthophosphates were studied in 9 different soils with widely varying physical and chemical properties. Information obtained on the nature and rate of P reaction will be coupled with P adsorption data to derive mathematical models for P movement in soils from applied wastewaters.

Compounds having higher solubility than variscite were formed which changed to crystalline variscite with time upon adding $Ca(H_2PO_4)_2 \cdot H_2O$ to acid soils. Monocalcium phosphate monohydrate in alkaline soils transformed to relatively insoluble $CaHPO_4 \cdot 2H_2O$, $CaKPO_4$, $Ca_3(PO_4)_2$, $Ca_4H(PO_4)_3 \cdot 2\frac{1}{2}H_2O$, and $Ca_{10}(OH)_2(PO_4)_6$. The rate of transformation in both acid as well as alkaline soils was P rate dependent; slower with increased P rates.

CONTENTS

Foreword iii
Abstract iv
Figures vi
Tables vii
Abbreviations and Symbols viii

1. Introduction 1
2. Conclusions 3
3. Recommendations 4
4. Methods and Materials 5
5. Results and Discussion 10
6. References 21

Appendices

1. Fraction of total P as H_3PO_4, $H_2PO_4^{-1}$, HPO_4^{-2}, PO_4^{-3} at various pH values 23
2. Solubility data obtained from adding 100, 40, 25, and 12.5 ppm P (soil basis) to acid soils 28
3. Solubility data obtained from adding 100, 40, 25, and 12.5 ppm P (soil basis) to alkaline soils E, O, and AB 47
4. Solubility data obtained from adding 100, 40, 25, and 12.5 ppm P (soil basis) to neutral soil - AG 59
5. Reaction products of applied $Ca(H_2PO_4)_2 \cdot H_2O$ as identified by X-ray diffraction analysis 63

FIGURES

Number		Page
1.	Solubility diagram for variscite and gibbsite in soils at 25°C	6
2.	Solubility diagram for calcium phosphate compounds in soils at 25°C	8
3.	Effect of phosphate addition on the aluminum and phosphoric acid potentials in soil-B	12
4.	Effect of phosphate addition on the aluminum and phosphoric acid potentials in soil-D	14
5.	Changes in lime and phosphate potentials in soil-B by adding 100, 40, 25, and 12.5 ppm P	15
6.	Changes in lime and phosphate potentials in soil-D by adding 100, 40, 25, and 12.5 ppm P	16
7.	Changes in lime and phosphate potentials in soil-AB by adding 100, 40, 25, and 12.5 ppm P	17
8.	Changes in lime and phosphate potentials in soil-AC by adding 100, 40, 25, and 12.5 ppm P	18

TABLES

Number		Page
1.	Clay mineralogy of the soils used in this investigation	5
2.	Calculated ion activity products (-log IAP) of gibbsite in the acid soils	6
3.	Reported solubility product constants (pK_{sp}) at 25°C	9
4.	pH, P, Ca, Mg, Al and ion activity products (-log IAP values) of variscite measured in 0.01 M $CaCl_2$ extracts of five untreated acid soils	10
5.	Solubility data for three untreated alkaline soils and one neutral soil	11

LIST OF ABBREVIATIONS AND SYMBOLS

ABBREVIATIONS

MCPH	--	Monocalcium phosphate monohydrate. [$Ca(H_2PO_4)_2 \cdot H_2O$]
DCPD	--	Dicalcium phosphate dihydrate. [$CaHPO_4 \cdot 2H_2O$]
DCPA	--	Dicalcium phosphate anhydrous. [$CaHPO_4$]
TCP	--	Tricalcium phosphate. [$Ca_3(PO_4)_2$]
OCP	--	Octacalcium phosphate. [$Ca_8H(PO_4)_3 \cdot 2\frac{1}{2}H_2O$]
HA	--	Hydroxyapatite. [$Ca_{10}(OH)_2(PO_4)_6$]
G	--	Gibbsite. [$Al(OH)_3$]
V	--	Variscite. [$AlPO_4 \cdot 2H_2O$]
ppm	--	parts per million

SYMBOLS

P	--	Phosphorus
Ca^{+2}	--	Calcium
Mg^{+2}	--	Magnesium
Al^{+3}	--	Aluminum
$pH + 1/3pAl$	--	Aluminum hydroxide potential
$pH + \frac{1}{2}pCa$	--	Lime potential
$\frac{1}{2}pCa + pH_2PO_4$	--	Phosphate potential
$pH + pH_2PO_4$	--	Phosphoric acid potential

SECTION 1

INTRODUCTION

Large volumes of liquid and solid industrial and municipal wastes resulting from increased urbanization and industrialization pose serious disposal problems. Land as a disposal medium is receiving widespread attention. Soil can be used as a biological and chemical filter for upgrading the wastewater prior to discharge; and, if transportation is not limiting, the wastes can be disposed onto agricultural lands. A major concern in land disposal is the accumulation in soils of certain metals in toxic quantities and movement of unacceptable levels of certain other elements such as phosphorus and nitrogen.

Excess phosphorus (P) entering lake waters increases algal blooms and eutrophication. Naturally occurring ground waters are generally in equilibrium with hydroxyapatite and hence have a P content less than the acceptable level of 0.05 ppm. Since phosphorus moves slowly in soils, its role in underground water contamination is generally ignored. However, there are instances where liberal amounts of P applied to some soils moved substantially deeper into soil profiles to cause underground water contamination. Adriano et al. (1) showed clear evidence of perched and underground water contamination by P from applying large amounts of food processing waste waters for prolonged periods. According to Fiskell and Spencer (2), P added at very high rates to a Lakeland fine sand moved as deep as 11 feet. Phosphorus contamination of high perched water tables from septic tank systems was reported by Reneau and Pettry (3). Lund et al. (4) analyzed soil cores at various depths beneath sewage sludge and effluent ponds at two treatment plant locations in California. Their data suggest that the practice of ponding liquid sewage sludge and effluent on open, porous soils can result in P contamination of underground water. They also noticed that agricultural cropland irrigated with sewage effluent for 7 years was enriched in P to a depth of at least 2 meters. From these studies it appears that unloading large volumes of wastes without knowing the physical and chemical characteristics of soils in the disposal sites can lead to P contamination of underground water.

Phosphorus in soils is immobilized by adsorption and chemical precipitation. Precipitation involves transformation of applied soluble phosphates to relatively insoluble iron, aluminum and calcium phosphates. These insoluble compounds govern the P concentration in soil solution. Efforts so far have used P adsorption capacity of soils in predicting P movement. Using the adsorption data, coupled with the solubility information for the crystalline compounds formed, to predict P movement can be a better approach than predicting from P adsorption characteristics alone.

This study was initiated to obtain information on the nature and rate of applied orthophosphate transformations for 9 soils differing widely in physical and chemical characteristics.

SECTION 8

CONCLUSIONS

- Amorphous $Al(OH)_3$ or crystalline gibbsite controlled Al^{+3} solubility in acid soils.
- Phosphorus fixation was related to pH and clay content of the soils. Soils with more clay fixed more phosphorus. Acid soils in general had more P fixation capacity than alkaline soils.
- Monocalcium phosphate monohydrate in acid soils transformed to compounds having higher solubility than variscite ($AlPO_4 \cdot 2H_2O$) which with time changed to crystalline variscite.
- Several calcium phosphate compounds $CaHPO_4 \cdot 2H_2O$, $CaHPO_4$, $Ca_3(PO_4)_2$, $Ca_8H(PO_4)_5 \cdot 2H_2O$ and $Ca_{10}(OH)_2(PO_4)_6$ controlled P solubility when $Ca(H_2PO_4)_2 \cdot H_2O$ was added to neutral and alkaline soils.
- Phosphorus when applied at higher rates approximating that found near a fertilizer granule site saturated the soil zone with $CaHPO_4 \cdot 2H_2O$ and $CaHPO_4$ in the acid as well as alkaline soils.
- The rate at which the initial and intermediary reaction products formed and transformed was P rate dependent. The conversion of intermediary compounds to crystalline variscite was relatively fast at low P rates in acid soils. Similarly in alkaline soils $CaHPO_4 \cdot 2H_2O$ formed initially converted faster to other compounds at low P rates.

SECTION 9

RECOMMENDATIONS

- Proper site selection is very important to effectively remove P from applied waste waters. Only at moderate rates of P application, sandy soils are saturated with $CaHPO_4 \cdot 2H_2O$ which has the highest solubility of all the P reaction products known. Since more P is expected to move under these conditions, sandy soils like U and Ab should be avoided as waste disposal sites.

- In order to minimize the movement of P in alkaline soils it would be desirable to have hydroxyapatite present in the soils. This could be accomplished by controlling pH, rate of P application, and time intervals between applications.

- If removing P from waste waters was the only consideration it would be logical to apply waste waters to acid soils since aluminum and iron phosphates that form under acid soil conditions have very low solubilities. However, in practice, liming of waste treated acid soils may be required to immobilize heavy metals. Phosphorus solubilities in lime treated acid soils will be controlled by relatively more soluble calcium phosphate compounds.

- Applications of waste waters bring about reducing conditions and pH changes in the soil zone and the results could be different from those obtained by applying $Ca(H_2PO_4)_2 \cdot H_2O$ to these soils. Hence the P reactions should be determined by applying waste waters as such to soils.

- In this study P at a given rate was added only once, and the rate of transformation of initial and intermediary compounds formed was determined. The rates should be determined under repeated application of P to the soils.

SECTION 4

METHODS AND MATERIALS

Physical and chemical properties of soils used in this work were previously reported (5). To further characterize the chemical and physical properties, clay minerals in each soil were determined by using X-ray diffraction techniques (Table 1).

TABLE 1. CLAY MINERALOGY OF THE SOILS USED IN THIS INVESTIGATION

Soil	Clay Minerals
B	Illite, Kaolinite, and mixed layered minerals (1:1 Illite and Montmorillonite).
D	Illite, Montmorillonite, and Kaolinite
E	Illite, Kaolinite, and mixed layered minerals (1:1 Illite and Montmorillonite). 22.5% $CaCO_3$ on soil dry wt. basis.
O	Illite, Montmorillonite, Kaolinite. 6.6% $CaCO_3$ on soil dry wt. basis.
U	Chlorite
V	Mg^{++} rich Chlorite
AA	Mg^{++} rich Chlorite, Kaolinite and Illite
AB	Illite, Montmorillonite, and Kaolinite. 6.6% $CaCO_3$ on soil dry wt. basis.
AC	Illite and Kaolinite

X-ray diffraction work did not show the presence of gibbsite in acid soils B, D, U, V, or AA. For gibbsite to be detectable using X-ray diffraction, approximately 5% of the clay sized particles would have to be present as gibbsite. An alternate procedure based on solubility products can be effective in low concentrations. Identification of the specific compound can be made by comparing calculated ion activity products with solubility constants of the various crystalline forms. After measuring the Al^{+++} ion activity in soil extracts, the ion activity products ($pAl + 3pOH$) were calculated as listed in Table 3. The reported pK_{sp} (negative log of the ion

activity product) values ranged from 32.54 for amorphous $Al(OH)_3$(6) to 33.8 for crystalline gibbsite (7). Thus, indicating amorphous $Al(OH)_3$ in soils U and AA and crystalline gibbsite in soils B, D, and Y.

TABLE 2. CALCULATED ION ACTIVITY PRODUCTS (-LOG IAP) OF GIBBSITE IN THE ACID SOILS

Soil	-log IAP (pAl + 3pOH)
B	34.92
D	33.35
U	32.37
Y	33.54
AA	32.46

Several scientists used solubility criteria to show the existence of variscite (8), strengite (9), and several calcium phosphates as $CaHPO_4$; $CaHPO_4 \cdot 2H_2O$, $Ca_8H(PO_4)_5 \cdot 2\frac{1}{2}H_2O$, $Ca_{10}(OH)_2(PO_4)_6$ and $Ca_{10}F_2(PO_4)_6$ (10 - 16). The same basic principles were used to obtain the solubility data in these experiments. Phosphorus was reacted with soils in two different ways. Fifty ml of 0.01 M $CaCl_2$ containing 30 and 12 ppm P was added to 15 g of soil in centrifuge tubes to give 90 and 40 ppm P on a soil basis. Reagent grade $(NH_4)_2HPO_4$ and $Ca(H_2PO_4)_2 \cdot H_2O$ were used as P sources. Adequate aeration was provided to prevent reducing conditions and CO_2 accumulation during the experiment. Sufficient replications were made to facilitate sampling at the end of 1, 3, 10, 30, 100, 300, 1000 and 3000 hours.

In the second method, desired P concentrations as $Ca(H_2PO_4)_2 \cdot H_2O$ were mixed with soil, wet to field capacity and stored in plexiglas containers. Deionized distilled water was added at regular intervals to maintain constant moisture levels. A portion of the soil sample was taken at desired time intervals and was dried immediately. Ten and 20 g of dried sample were shaken with 50 ml of 0.01 M $CaCl_2$ for two hours and the data obtained were extrapolated to zero dilution (10).

Since method of incubation had no significant influence on the results, data from the second method of incubation are presented in this report.

pH in the suspensions was measured with a Fisher Accumet pH meter. Phosphorus in the filtered solutions was measured by the Riley Ascorbic Acid method as described in "Manual of Methods for Chemical Analysis of Water and Wastes" (18). From the total P concentrations, the values of H_3PO_4, $H_2PO_4^-$, HPO_4^{--} and PO_4^{---} were calculated by using the following equations

$$H_3PO_4 = P\left[\frac{(H)^3}{(H)^3 + K_1(H)^2 + K_2K_1(H) + K_3K_2K_1}\right]$$

$$H_2PO_4^{-1} = P\left[\frac{K_1(H)^2}{(H)^3 + K_1(H)^2 + K_2K_1(H) + K_3K_2K_1}\right]$$

$$HPO_4^{-2} = P\left[\frac{K_2K_1(H)}{(H)^3 + K_1(H)^2 + K_2K_1(H) + K_3K_2K_1}\right]$$

$$PO_4^{-3} = P\left[\frac{K_3K_2K_1}{(H)^3 + K_1(H)^2 + K_2K_1(H) + K_3K_2K_1}\right]$$

where K_1, K_2, and K_3 are 1st, 2nd and 3rd dissociation constants of phosphoric acid; 7.51×10^{-3}, 6.33×10^{-8}, and 4.73×10^{-13} respectively. Calculated P fractions at various pH values are shown in Appendix Table 1.

After measuring Al^{+3} in soil extracts on a 2038 Perkin-Elmer atomic absorption spectrophotometer with a graphite furnace, aluminum activities were calculated as shown by Lindsay, Peech, and Clark (17).

Calcium and Mg^{+2} concentrations were measured with a Perkin-Elmer 303 atomic absorption spectrophotometer. The activity coefficient f_i was calculated by using the equation

$$-\log f_i = \frac{0.508\, Z_i^2 \sqrt{\mu}}{1 + 0.329\, a_i \sqrt{\mu}} + B\,\mu$$

where μ is the ionic strength, Z_i is the valence of the ion, a_i is 6 as given by Kielland (19), and B is -0.257 (20).

The data were interpreted by using the solubility diagrams shown in Figs. 1 and 2. Also the ion activity products -log (IAP) were calculated and compared with the known solubility product constants (pK_{sp}) of various P compounds. Table 3 gives the pK_{sp} values of various P compounds used to interpret the data.



FIG. 1. SOLUBILITY DIAGRAM FOR VARISCITE AND GIBBSITE IN SOILS AT 25°C



FIG. 2. SOLUBILITY DIAGRAM FOR CALCIUM PHOSPHATE COMPOUNDS IN SOILS AT 25°C

TABLE 3. REPORTED SOLUBILITY PRODUCT CONSTANTS (pK_{sp}) AND DISSOCIATION CONSTANTS AT 25°C.

Compound	Solubility Expression	pK_{sp}	Source
$CaHPO_4 \cdot 2H_2O$ (DCPD)	$pCa + pHPO_4$	6.56	20
$CaHPO_4$	$pCA + pHPO_4$	6.66	7
$Ca_3(PO_4)_2$ (TCP)	$3pCa + 2pPO_4$	26.0	6
$Ca_4H(PO_4)_3 \cdot 2\frac{1}{2}H_2O$ (OCP)	$4pCa + pH + 3pPO_4$	46.91	20
$Ca_{10}(OH)_2(PO_4)_6$ (HA)	$10\ pCa + 6pPO_4 + 2pOH$	113.7	7
$Al(OH)_3$ (Amorphous)	$pAl + 3pOH$	32.34	6
$Al(OH)_3$ (Gibbsite)	$pAl + 3pOH$	33.8	7
$AlPO_4 \cdot 2H_2O$ (Variscite)	$pAl + 2pOH + pH_2PO_4$	30.5	8
$CaCO_3$ (Calcite)	$pH - pCa + \frac{1}{2} \log P_{CO2}$	4.93	21

SECTION 5

RESULTS AND DISCUSSION

IN SITU PHOSPHORUS

In considering soil as a possible medium for P removal from applied waste waters, the fate of both applied and *in situ* phosphorus must be understood. Information obtained from analyzing the 0.01 M $CaCl_2$ extracts of untreated soils (Tables 4 and 5) was used to identify the compounds governing the P solubility.

TABLE 4. pH, P, Ca, Mg, Al AND ION ACTIVITY PRODUCTS (-LOG IAP VALUES) OF VARISCITE MEASURED IN 0.01 M $CaCl_2$ EXTRACTS OF FIVE UNTREATED ACID SOILS.

Soil	pH	P	Ca	Mg	Al	- log IAP ($pAl + 2pOH + pH_2PO_4$)
			ppm			
B	4.20	0.017	279	31.8	0.710	30.98
D	4.80	0.013	242	43.7	0.206	30.53
U	4.90	0.072	345	3.4	0.663	29.68
V	4.40	0.463	302	22.8	1.800	28.77
AA	5.15	0.087	311	11.5	0.190	29.17

Phosphorus concentrations in the equilibrium extracts of untreated acid soils ranged from 0.013 to 0.463 ppm. Ion activity products indicated crystalline variscite in Soils B and D. Equilibrium solutions of Soils U, V, and AA were supersaturated with respect to variscite, indicating that these soils may have been treated with P prior to sample collection. Upon aging, however, these ion activity product values generally approach the solubility product of variscite.

Calculated ion activity products for alkaline soils (Table 5) indicated octacalcium phosphate (OCP) in Soils E and AB, and tricalcium phosphate in Soil O. Hydroxyapatite (HA) controlled P solubility in the untreated neutral Soil AC.

TABLE 9. SOLUBILITY DATA FOR 3 UNTREATED ALKALINE SOILS AND ONE NEUTRAL SOIL

Soil	pH	P	Ca	Mg	P Compound
B	7.70	0.134	181	1.9	$Ca_4H(PO_4)_3 \cdot 2\frac{1}{2}H_2O$ (47.2[A])
D	8.10	0.216	264	19.5	$Ca_3(PO_4)_2$ (26.07)
AB	7.80	0.216	317	24.0	$Ca_4H(PO_4)_3 \cdot 2\frac{1}{2}H_2O$ (46.36)
AU	6.00	0.044	327	8.6	$Ca_{10}(OH)_2(PO_4)_6$ (119.62)

[A] Calculated -log IAP values for the indicated compounds.

Tricalcium phosphate and octacalcium phosphate are not stable and will be converted to less soluble hydroxyapatite.

REACTIONS IN ACID SOILS

Solubility data for the phosphate treated acid Soils B, D, U, Y and AA are presented in Appendix Table 2. Soils B, D, and AA with high clay content fixed more phosphorus than U and Y, having lower amounts of clay. At 100 ppm (soil basis) rate, P in extracts of Soil B, D, and AA decreased by more than 200-fold in less than an hour compared to 50- and 6-fold decreases in Soils Y and U respectively. Phosphorus fixation rate which was rapid in the beginning decreased with time.

Aluminum hydroxide potentials (pH - 1/3 pAl) and pH values in CaCl$_2$ suspensions of the acid soils increased with time of incubation at any given rate of P application. pH of soil extracts decreased with increasing amount of applied phosphate. A decrease in the values of pH - 1/3 pAl with increased P rates was reported by Lindsay, Clark, and Peech (8). In this study, where 100, 40, 25 and 12.5 ppm P (soil basis) rates were compared, highest aluminum hydroxide potentials were noted at 40 and 25 ppm (soil basis) rates compared to 100 and 12.5 ppm P rates.

It is evident from Appendix Table 2 that the ion activity products of variscite in Soils B and D were lower in the beginning, especially at 100 ppm P rate, and approached the reported pK_{sp} value of 30.5 with time. The solubility data for Soils B and D are plotted in Figs. 3 and 4. After adding 100 ppm P Soil B yielded extracts that were supersaturated with respect to variscite and undersaturated with gibbsite. Almost immediately after adding 25 and 12.5 ppm P, variscite controlled P solubility.

Extracts of Soil D after adding 100, 40, and 25 ppm P (soil basis) were supersaturated with both variscite and gibbsite. The soil solution was in equilibrium with variscite in less than an hour after adding 12.5 ppm P.

FIG. 1. EFFECT OF PHOSPHATE ADDITION ON THE ALUMINUM AND PHOSPHORIC ACID POTENTIALS IN SOIL - B.





▲ Untreated soil

FIG. 4. EFFECT OF PHOSPHATE ADDITION ON THE ALUMINUM AND PHOSPHORIC ACID POTENTIALS IN SOIL - D.



A Untreated soil

Soils U, Y and AA continued to yield extracts that were supersaturated with respect to variscite during the entire aging period. Slow rate of variscite formation is expected and reported (8). According to Wright and Peech (9), lower ion activity products of variscite may be attributed to the presence of extremely small crystals of variscite having higher solubility than particles of larger size. More complex phosphates like carbonate-, which are expected to form when ortho-phosphates are added to acid soils (22), have higher solubilities than variscite. So the observed low ion activity products might be due to the formation of small crystals of variscite or formation of complex phosphates like carbonates.

Upon aging, the phosphate treated soils had higher aluminum hydroxide potentials and variscite ion activity products than the corresponding untreated soils. This is not peculiar since the data on the original soils were obtained prior to P treatments; changes in pH, P and Al concentrations of phosphate untreated soils with time of incubation were not monitored.

REACTIONS IN ALKALINE SOILS

Concentrations of P, Ca and Mg, and pH values in 0.01 M $CaCl_2$ extracts of alkaline soils and the calculated lime (pH + $\frac{1}{2}$pCa) and phosphate ($\frac{1}{3}$pCa + pH_2PO_4) potentials and ion activity products are included in Appendix Table 3. In general, P applications lowered the pH_2PO_4 values which with time of incubation tended to approach those of phosphate untreated soils. pH values and lime potentials of phosphate treated soils followed no particular trend during incubation. In most cases, a gradual increase followed by a decrease in pH values was noticed with a corresponding change in the equilibrium P concentration; increased pH lowered the P concentration and vice versa. This was more so at the highest P rates. Changes in CO_2 partial pressure during incubation could have caused this kind of unusual fluctuations. Decreased suspension pH values with increased P rates was noticed by Jensen (11), in several calcareous soils. In this study, equilibrium pH values in Soil AB decreased slightly, and in Soils E and O increased slightly with increasing P rates.

Soils E and O immobilized more P in less time than Soil AB. Soil AB, with a comparatively low clay content, had a very poor P fixation capacity. One thousand hours after adding 90 ppm P, a substantial amount (~5 ppm) of P was still left in the soil solution. From the solubility data, it is evident that additions of only 100 ppm P saturated this soil with respect to $CaHPO_4 \cdot 2H_2O$. Unacceptable levels of P are likely to move down through this soil under heavy and repeated applications of waste waters.

Lime and phosphate potentials obtained from the measurements made of the soil samples taken during incubation are plotted in Figs. 5, 6 and 7 for Soils E, O and AB respectively. These soils yielded extracts that were super- or undersaturated and sometimes in equilibrium with the known calcium phosphates $CaHPO_4 \cdot 2H_2O$, $CaHPO_4$, $Ca_3(PO_4)_2$, $Ca_4H(PO_4)_3 \cdot 2\frac{1}{2}H_2O$, and $Ca_{10}(OH)_2(PO_4)_6$. Soil E in the presence of 25 and 12.5 ppm added P, yielded extracts that were supersaturated with hydroxyapatite and had higher phosphate

FIG. 5. CHANGES IN LIME AND PHOSPHATE POTENTIALS IN SOIL-E BY ADDING 100, 40, 25, AND 12.5 ppm P.



* Untreated soil

FIG. 6. CHANGES IN LIME AND PHOSPHATE POTENTIALS IN SOIL-0 BY ADDING (0), 40, 25, AND 12.5 ppm P.



* Untreated soil

FIG. 7. CHANGES IN LIME AND PHOSPHATE POTENTIALS IN SOIL-A8 BY ADDING 100, 40, 25, AND 12.5 ppm P.



* Untreated soil

FIG. 4. CHANGES IN LIME AND PHOSPHATE POTENTIALS IN SOIL-AC BY ADDING 100, 40, 25, AND 12.5 ppm P.



* Untreated soil

potentials than the original sample. This suggests a further reaction of *in situ* phosphorus along with the added P.

The phosphate potentials of Soils O and AB increased to reach those of untreated samples. The rate of transformation was P rate dependent; slower with increased P additions. Soil O when treated with 25 and 12.5 ppm P was to equilibrium with octacalcium phosphate with calculated ion activity products ranging between 46 and 47. Aslyng (10), and Weber and Mattingly (13) reported solubility data consistent with the existence of octacalcium phosphate for some Brothamsted soils.

The calculated ion activity products of $Ca_4(PO_4)_2$ at 1000 and 3000 hours after adding 100 ppm P to Soil O were 26.02 and 26.09; also the ion activity product of P untreated soil was 26.07. These ion activity products agree with the reported pK_{sp} value of 26 for $Ca_4(PO_4)_2$. It is likely that $Ca_4(PO_4)_2$ exists in soils as an unstable intermediary reaction product which with time changes to less soluble octacalcium phosphate and hydroxyapatite.

REACTIONS IN A NEUTRAL SOIL

Solubility data for Soil AC are presented in Appendix Table 4. Phosphorus applications in general lowered the pH, and lime and phosphate potentials. Depending on the rate of P application, the soil yielded extracts that were supersaturated or in equilibrium with hydroxyapatite (Fig. 8). When 100 ppm P was added the extracts were undersaturated with respect to octacalcium phosphate and supersaturated with respect to hydroxyapatite until 1000 hours. At 3000 hours the soil solution was in equilibrium with hydroxyapatite with a calculated ion activity product ($10pCa + 6pPO_4 + 2pOH$) of 113.7. Application of 40 ppm P supersaturated the soil with respect to HA until 1000 hours. Three hundred hours after adding 25 ppm P, HA controlled P solubility. Solubility data showed the existence of HA, 3 hours after adding 12.5 ppm P. According to several scientists (1), 16), acid soils limed to near neutral pH values were in equilibrium with hydroxyapatite.

X-RAY DIFFRACTION WORK

A method very similar to that of Bell and Black (2) was used to identify the reaction products of applied orthophosphates. Monocalcium phosphate monohydrate was mixed with soils and incubated in plexiglas cylinders. The cylinders were kept in a saturated atmosphere in a desiccator to prevent water loss by evaporation. Precaution was taken to provide adequate aeration at the reacting surface. X-ray diffraction patterns of the samples from the reaction surface were obtained by a Philips X-ray diffractometer using nickel-filtered Cu K α radiation with a pulse height analyzer. Identifications were made by comparing the X-ray diffraction patterns obtained with those published by Lehr et al. (24). Peak heights were used to quantitatively determine the reaction products. The quantitative data thus obtained are subject to ± 5 to 10% error.

Applied $Ca(H_2PO_4)_2 \cdot H_2O$ transformed to $CaHPO_4$ and $CaHPO_4 \cdot 2H_2O$ in all the soils, which remained unchanged for more than a year. Proportions of $CaHPO_4$ and $CaHPO_4 \cdot 2H_2O$ for one acid - (Soil B), and one neutral - (Soil AC), and one alkaline soil (Soil O) are presented in Appendix Table 5. These results agree well with those reported elsewhere. Bell and Black (23) identified $CaHPO_4 \cdot 2H_2O$ and $CaHPO_4$ by applying $Ca(H_2PO_4)_2 \cdot H_2O$ to slightly acid and alkaline soils. Moreno et al. (15) mixed very high concentrations of P with an acid soil and showed the soil solution was saturated with respect to $CaHPO_4 \cdot 2H_2O$ in less than an hour and remained so after one month. It is a general observation that phosphate fertilizers when banded supply more P to plants than when broadcasted; and this phenomenon is more so in the acid soils. Phosphorus concentrations are higher in the banding site and the soil zone is saturated with $CaHPO_4 \cdot 2H_2O$. Broadcasting favors aluminum and iron phosphates in acid soils and octacalcium phosphate in alkaline soils which are less soluble than $CaHPO_4 \cdot 2H_2O$.

Applied $Ca(H_2PO_4)_2 \cdot H_2O$ should transform to the next less soluble compound $CaHPO_4 \cdot 2H_2O$. However, a close look at the results in Appendix Table 5 reveals that $CaHPO_4$ precipitated earlier than $CaHPO_4 \cdot 2H_2O$. The transformation of $CaHPO_4 \cdot 2H_2O$ to $CaHPO_4$ might have occurred while drying the samples for X-ray diffraction analysis.

SECTION 6

REFERENCES

1. Adriano, D. C., L. T. Novak, A. E. Erickson, A. E. Wolcott, and E. G. Ellis. 1975. Effect of long term land disposal by spray irrigation of food processing wastes on some chemical properties of the soil and subsurface waters. J. Environ. Qual. 4:342-348.

2. Fiskell, J. G. A., and W. F. Spencer. 1964. Forms of phosphate in Lakeland fine sand after six years of heavy phosphate and lime applications. Soil Sci. 97:330-337.

3. Reneau, Jr., R. B., and D. E. Pettry. 1976. Phosphorus distribution from septic tank effluent in Coastal Plain soils. J. Environ. Qual. 5:34-39.

4. Lund, L. J., A. L. Page, and C. O. Nelson. 1976. Nitrogen and phosphorus levels in soils beneath sewage disposal ponds. J. Environ. Qual. 5:26-30.

5. Enfield, C. G., G. C. Marlin, Jr., and S. E. Bledsoe. 1976. Comparison of five kinetic models for orthophosphate reactions in mineral soils. Soil Sci. Soc. Am. J. 40:243-249.

6. Dillon, L. G., and A. E. Martell. 1964. Stability constants of metal ion complexes. 2nd ed. Special publication No. 17. The Chemical Society, London. 754 P.

7. Lindsay, W. L., and E. C. Moreno. 1960. Phosphate phase equilibria in soils. Soil Sci. Soc. Am. Proc. 24:177-182.

8. Lindsay, W. L., H. Peech, and J. S. Clark. 1959. Solubility criteria for the existence of variscite in soils. Soil Sci. Soc. Am. Proc. 23:357-360.

9. Wright, Bill C., and Michael Peech. 1960. Characterization of phosphate reaction products in acid soils by the application of solubility criteria. Soil Sci. 90:32-43.

10. Aslyng, H. C. 1954. The lime and phosphate potentials of soils; the solubility and availability of phosphates. Roy. Vet. and Agr. Coll., Copenhagen, Den. Yearbook Reprint. pp. 1-50.

11. Jensen, H. E. 1971. Phosphate solubility in Danish soils equilibrated with solutions of differing phosphate concentrations. J. Soil Sci. 22:261-266.

12. Clark, J. S., and M. Peech. 1955. Solubility criteria for the existence of calcium and aluminum phosphates in soils. Soil Sci. Soc. Am. Proc. 19:171-174.

13. Weber, M. D., and G. E. Mattingly. 1970. Inorganic soil phosphorus: II. Changes in monocalcium phosphate and lime potentials on mixing and liming soils. J. Soil Sci. 21:121-126.

14. Larsen, S., and A. E. Widdowson. 1970. Evidence of dicalcium phosphate precipitation in a calcareous soil. J. Soil Sci. 21:364-367.

15. Moreno, E. C., W. L. Lindsay, and G. Osborn. 1960. Reactions of dicalcium phosphate dihydrate in soils. Soil Sci. 90:58-68.

16. Withee, L. V., and Roscoe Ellis, Jr. 1965. Change of phosphate potentials of calcareous soils on adding phosphorus. Soil Sci. Soc. Am. Proc. 29:511-514.

17. Lindsay, W. L., M. Peech, and J. S. Clark. 1959. Determination of aluminum ion activity in soil extracts. Soil Sci. Soc. Am. Proc. 23:266-269.

18. Manual of methods for chemical analysis of water and wastes. 1974. Environmental Protection Agency, Washington, D.C. Publication number EPA-625-/6-74-003. 298 P.

19. Kielland, J. 1937. Individual activity coefficients of ions in aqueous solutions. J. Am. Chem. Soc. 59:1675-1678.

20. Moreno, E. C., W. E. Brown, and G. Osborn. 1960. Solubility of dicalcium phosphate dihydrate in aqeous solutions. Soil Sci. Soc. Am. Proc. 24:94-98.

21. Turner, R. C., and J. S. Clark. 1956. The pH of calcareous soils. Soil Sci. 82:337-341.

22. Lindsay, W. L., and M. P. Stephenson. 1959. Nature of the reactions of monocalcium phosphate monohydrate in soils. IV. Repeated reactions with metastable triple-point solution. Soil Sci. Soc. Am. Proc. 23:440-443.

23. Bell, L. C., and C. A. Black. 1970. Crystalline phosphates produced by interaction of orthophosphate fertilizers with slightly acid and alkaline soils. Soil Sci. Soc. Am. Proc. 34:735-740.

24. Lehr, J. R., E. H. Brown, A. W. Frazier, J. P. Smith, and R. D. Thrasher. 1967. Crystallographic properties of fertilizer compounds. Tennessee Valley Authority Chem. Engin. Bull. 6. 160 P.

APPENDIX TABLE I

Table I. Fraction of total P as H_3PO_4, $H_2PO_4^{-1}$, HPO_4^{-2}, PO_4^{-3} at various values.

	FRACTION OF TOTAL P AS			
PH	H3PO4	H2PO4	HPO4	PO4
4.00	0.1311E-01	0.9866E 00	0.6245E-03	0.2955E-11
4.05	0.1178E-01	0.9880E 00	0.7018E-03	0.3722E-11
4.10	0.1059E-01	0.9892E 00	0.7885E-03	0.4689E-11
4.15	0.9331E-02	0.9905E 00	0.8855E-03	0.5911E-11
4.20	0.8322E-02	0.9916E 00	0.9944E-03	0.7455E-11
4.25	0.7425E-02	0.9926E 00	0.1112E-02	0.9398E-11
4.30	0.6622E-02	0.9934E 00	0.1250E-02	0.1184E-10
4.35	0.5905E-02	0.9941E 00	0.1401E-02	0.1492E-10
4.40	0.5266E-02	0.9947E 00	0.1568E-02	0.1881E-10
4.45	0.4695E-02	0.9952E 00	0.1752E-02	0.2370E-10
4.50	0.4186E-02	0.9956E 00	0.1955E-02	0.2987E-10
4.55	0.3733E-02	0.9960E 00	0.2181E-02	0.3765E-10
4.60	0.3326E-02	0.9964E 00	0.2431E-02	0.4742E-10
4.65	0.2964E-02	0.9967E 00	0.2707E-02	0.5974E-10
4.70	0.2642E-02	0.9970E 00	0.3015E-02	0.7525E-10
4.75	0.2355E-02	0.9973E 00	0.3356E-02	0.9477E-10
4.80	0.2100E-02	0.9976E 00	0.3732E-02	0.1193E-09
4.85	0.1871E-02	0.9978E 00	0.4150E-02	0.1503E-09
4.90	0.1667E-02	0.9980E 00	0.4615E-02	0.1893E-09
4.95	0.1486E-02	0.9982E 00	0.5130E-02	0.2384E-09

	FRACTION OF TOTAL P AS:			
PH	HSPO4	H2PO4	HPO4	PO4
5.00	0.1928E-02	0.9928E 00	0.6281E-02	0.2916E-09
5.05	0.1188E-02	0.9928E 00	0.7048E-02	0.3748E-09
5.10	0.1095E-02	0.9916E 00	0.7900E-02	0.4708E-09
5.15	0.9538E-03	0.9908E 00	0.8855E-02	0.5922E-09
5.20	0.8311E-03	0.9896E 00	0.9928E-02	0.7446E-09
5.25	0.7240E-03	0.9884E 00	0.1113E-01	0.9368E-09
5.30	0.6309E-03	0.9871E 00	0.1250E-01	0.1180E-08
5.35	0.5496E-03	0.9856E 00	0.1403E-01	0.1485E-08
5.40	0.4788E-03	0.9840E 00	0.1576E-01	0.1869E-08
5.45	0.4171E-03	0.9822E 00	0.1770E-01	0.2354E-08
5.50	0.3633E-03	0.9803E 00	0.1988E-01	0.2965E-08
5.55	0.3164E-03	0.9781E 00	0.2233E-01	0.3735E-08
5.60	0.2756E-03	0.9756E 00	0.2508E-01	0.4703E-08
5.65	0.2400E-03	0.9728E 00	0.2817E-01	0.5924E-08
5.70	0.2091E-03	0.9696E 00	0.3164E-01	0.7459E-08
5.75	0.1821E-03	0.9659E 00	0.3553E-01	0.9393E-08
5.80	0.1586E-03	0.9618E 00	0.3989E-01	0.1183E-07
5.85	0.1381E-03	0.9571E 00	0.4478E-01	0.1490E-07
5.90	0.1202E-03	0.9518E 00	0.5027E-01	0.1877E-07
5.95	0.1047E-03	0.9458E 00	0.5644E-01	0.2365E-07

APPENDIX TABLE I (continued)

	FRACTION OF TOTAL P AS			
PH	H3PO4	H2PO4	HPO4	PO4
6.00	0.1252E-03	0.9408 00	0.5998E-01	0.2822E-07
6.05	0.1113E-03	0.9348 00	0.6638E-01	0.3529E-07
6.10	0.9880E-04	0.9268 00	0.7381E-01	0.4398E-07
6.15	0.8655E-04	0.9188 00	0.8211E-01	0.5488E-07
6.20	0.7564E-04	0.9098 00	0.9128E-01	0.6831E-07
6.25	0.6738E-04	0.8998 00	0.1013 00	0.8515E-07
6.30	0.5938E-04	0.8888 00	0.1125 00	0.1061E-06
6.35	0.5210E-04	0.8765 00	0.1248 00	0.1318E-06
6.40	0.4575E-04	0.8630 00	0.1378 00	0.1635E-06
6.45	0.4011E-04	0.8484 00	0.1515 00	0.2027E-06
6.50	0.3516E-04	0.8329 00	0.1659 00	0.2499E-06
6.55	0.3084E-04	0.8170 00	0.1810 00	0.3105E-06
6.60	0.2678E-04	0.7998 00	0.1968 00	0.3792E-06
6.65	0.2352E-04	0.7808 00	0.2130 00	0.4666E-06
6.70	0.2028E-04	0.7598 00	0.2418 00	0.5715E-06
6.75	0.1751E-04	0.7378 00	0.2685 00	0.6945E-06
6.80	0.1510E-04	0.7138 00	0.2858 00	0.8525E-06
6.85	0.1302E-04	0.6918 00	0.3095 00	0.1045E-05
6.90	0.1122E-04	0.6658 00	0.3358 00	0.1286E-05
6.95	0.9676E-05	0.6398 00	0.3618 00	0.1585E-05

APPENDIX TABLE 1 (continued)

	FRACTION OF TOTAL P AS:			
EH	HSPO4	H2PO4	HPO4	PO4
7.60	0.6166E-05	0.6128E 00	0.3866E 00	0.1835E-05
7.65	0.4946E-05	0.5865E 00	0.4156E 00	0.2203E-05
7.70	0.5856E-05	0.5571E 00	0.4435E 00	0.2644E-05
7.75	0.4588E-05	0.5288E 00	0.4722E 00	0.3158E-05
7.80	0.4179E-05	0.4998E 00	0.5011E 00	0.3755E-05
7.85	0.3522E-05	0.4708E 00	0.5300E 00	0.4459E-05
7.90	0.2958E-05	0.4428E 00	0.5580E 00	0.5272E-05
7.95	0.2466E-05	0.4148E 00	0.5860E 00	0.6218E-05
7.00	0.2055E-05	0.3868E 00	0.6140E 00	0.7292E-05
7.05	0.1708E-05	0.3591E 00	0.6417E 00	0.8548E-05
7.10	0.1408E-05	0.3331E 00	0.6677E 00	0.9995E-05
7.15	0.1161E-05	0.3088E 00	0.6920E 00	0.1166E-04
7.20	0.9508E-06	0.2866E 00	0.7140E 00	0.1355E-04
7.25	0.7795E-06	0.2661E 00	0.7339E 00	0.1566E-04
7.30	0.6375E-06	0.2470E 00	0.7530E 00	0.1801E-04
7.35	0.5215E-06	0.2295E 00	0.7705E 00	0.2066E-04
7.40	0.4270E-06	0.2066E 00	0.8000E 00	0.2390E-04
7.45	0.3496E-06	0.1825E 00	0.8175E 00	0.2745E-04
7.50	0.2780E-06	0.1666E 00	0.8334E 00	0.3150E-04
7.55	0.2296E-06	0.1515E 00	0.8485E 00	0.3588E-04

APPENDIX TABLE I (continued)

FRACTION OF TOTAL P AS:

PH	H3PO4	H2PO4	HPO4	PO4
0.00	0.1021E-06	0.1360 00	0.8641 00	0.4048E-04
0.05	0.1566E-06	0.1236 00	0.8776 00	0.4655E-04
0.10	0.1181E-06	0.1117 00	0.8882 00	0.5298E-04
0.15	0.5468E-07	0.1015 00	0.8985 00	0.6031E-04
0.20	0.1621E-07	0.9065E-01	0.9090 00	0.6825E-04
0.25	0.6111E-07	0.8165E-01	0.9183 00	0.7725E-04
0.30	0.4900E-07	0.7345E-01	0.9265 00	0.8745E-04
0.35	0.5925E-07	0.6598E-01	0.9340 00	0.9898E-04
0.40	0.5148E-07	0.5922E-01	0.9408 00	0.1120E-03
0.45	0.2511E-07	0.5311E-01	0.9469 00	0.1268E-03
0.50	0.2008E-07	0.4761E-01	0.9523 00	0.1435E-03
0.55	0.1608E-07	0.4266E-01	0.9573 00	0.1618E-03
0.60	0.1288E-07	0.3822E-01	0.9617 00	0.1818E-03
0.65	0.1032E-07	0.3422E-01	0.9656 00	0.2034E-03
0.70	0.8125E-08	0.3064E-01	0.9690 00	0.2265E-03
0.75	0.6417E-08	0.2743E-01	0.9720 00	0.2509E-03
0.80	0.5150E-08	0.2455E-01	0.9745 00	0.2765E-03
0.85	0.4111E-08	0.2198E-01	0.9768 00	0.3032E-03
0.90	0.3278E-08	0.1968E-01	0.9787 00	0.3308E-03
0.95	0.2605E-08	0.1762E-01	0.9802 00	0.3593E-03

APPENDIX TABLE 2

Table 2. Solubility data obtained from adding 100, 40, 25, and 12.5 ppm P (soil basis) to acid soils.

SOIL= B

P CONCENTRATION= 100 ppm

TIME(HRS)	pH	P(ppm)	pH_2PO_4	pH_2PO_4	$pHPO_4$	pPO_4
1	4.00	0.490	6.60	4.81	8.01	16.11
3	4.00	0.620	6.50	4.70	7.90	16.23
10	4.00	0.580	6.69	4.83	8.01	16.34
30	4.00	0.600	6.59	4.73	7.92	16.24
100	4.10	0.330	6.95	4.98	8.08	16.30
300	4.30	0.146	7.51	5.31	8.21	16.25
1000	4.00	0.296	6.98	5.11	8.30	16.61
3000	5.20	0.026	8.10	6.08	9.08	17.20

TIME(HRS)	Al(ppm)	pAl	$pAl+3pOH$	$pAl+3pOH+pH_2PO_4$
1	0.080	5.017	35.02	39.82
3	0.790	5.065	35.05	39.77
10	0.030	5.046	35.01	39.86
30	0.020	5.056	35.05	39.77
100	0.010	5.063	34.76	39.84
300	0.010	5.078	34.12	39.81
1000	0.010	5.057	35.06	39.16
3000	0.720	5.119	34.52	39.80

SOIL- A

P CONCENTRATION- 25 ppm

Time (min)	pH	P (ppm)	pH_2PO_4	pH_2PO_4	$pHPO_4$	PPO_4
5	6.55	0.020	6.32	6.19	9.14	17.22
30	6.55	0.020	6.42	6.19	9.04	17.02
100	6.50	0.015	6.69	6.32	9.02	16.84
300	6.30	0.003	9.19	7.02	9.92	17.94
1000	6.50	0.006	9.09	6.72	9.61	17.39

Time (min)	Al (ppm)	pAl	pAl+3pOH	pAl+3pOH+pH_2PO_4
5	0.730	5.131	38.37	38.81
30	0.650	5.179	38.12	38.67
100	0.600	5.222	33.73	38.55
300	0.500	5.283	38.30	31.70
1000	0.400	5.229	33.73	38.94

APPENDIX TABLE I (continued)

SOIL- B

P CONCENTRATION= 12.5 ppm

Time(min)	pH	P(ppm)	pH_2PO_4	pH_2PO_4	$pHPO_4$	pPO_4
30	6.30	0.013	8.59	6.43	9.31	17.34
100	6.20	0.008	8.67	6.59	9.59	17.72
1000	6.50	0.003	9.37	7.02	9.72	17.59

Time(min)	Al(ppm)	pAl	pAl+3pOH	pAl+3pOH+pH_2PO_4
30	0.680	5.191	24.23	30.99
100	0.760	5.231	25.63	31.42
1000	0.600	5.333	23.73	31.25

APPENDIX TABLE 3 (continued)

SOIL- B

P CONCENTRATION- 100 ppm

TIME (HRS)	pH	P (ppm)	pH_2PO_4	pH_2PO_4	$pHPO_4$	pPO_4
1	4.80	0.173	7.93	5.26	7.65	15.18
10	4.80	0.155	7.98	5.30	7.70	15.23
30	4.80	0.075	8.29	5.62	8.02	15.58
100	4.90	0.060	8.49	5.73	8.01	15.48
300	5.10	0.030	8.99	6.03	8.12	15.38
3000	5.20	0.010	9.57	6.50	8.59	15.62

TIME (HRS)	Al (ppm)	pAl	pAl+3pOH	$pAl+2pOH+pH_2PO_4$
1	0.290	5.612	33.21	39.37
10	0.320	5.567	33.17	39.37
30	0.350	5.529	33.13	39.55
100	0.160	5.891	33.19	39.81
300	0.130	6.057	33.76	39.88
3000	0.100	6.216	32.62	39.31

APPENDIX TABLE 2 (continued)

SOIL- B

P CONCENTRATION- 40 ppm

TIME (HRS)	pH	P (ppm)	pH_2PO_4	pH_3PO_4	$pHPO_4$	pPO_4
1	6.60	0.130	8.06	5.38	7.78	15.30
3	6.80	0.130	8.06	5.38	7.78	15.30
10	6.90	0.050	8.67	5.89	8.19	15.62
30	6.90	0.030	8.97	6.19	8.49	15.93
100	6.80	0.020	8.87	6.19	8.59	16.12
300	6.90	0.015	9.09	6.32	8.62	16.04
1000	5.10	0.016	9.27	6.29	8.39	15.61

TIME (HRS)	Al (ppm)	pAl	pAl+3pOH	$pAl+3pOH+pH_2PO_4$
1	0.175	5.031	33.63	39.61
3	0.170	5.043	33.66	39.63
10	0.205	5.790	33.09	39.08
30	0.270	5.670	32.97	39.06
100	0.189	5.798	33.60	39.39
300	0.205	5.787	33.09	39.38
1000	0.215	5.839	32.58	39.93

APPENDIX TABLE 2 (continued)

SOIL- B

P CONCENTRATION- 25 ppm

TIME (HRS)	pH	P (ppm)	pH_2PO_4	pH_2PO_4	$pHPO_4$	pPO_4
3	4.50	0.100	8.27	5.49	7.79	15.22
30	4.90	0.033	8.75	5.98	8.27	15.70
100	5.10	0.013	9.36	6.38	8.48	15.70
300	4.90	0.008	9.37	6.59	8.69	16.31
1000	5.40	0.001	10.77	7.50	9.50	16.32

TIME (HRS)	Al (ppm)	pAl	pAl+3pOH	pAl+3pOH+pH_2PO_4
3	0.235	6.721	33.02	29.43
30	0.100	6.096	33.40	30.27
100	0.110	6.129	32.83	30.31
300	0.250	6.699	33.00	30.49
1000	0.110	6.276	32.00	30.97

APPENDIX TABLE 7 (continued)

SOIL- B

P CONCENTRATION- 13.5 ppm

TIME(MIN)	pH	P(ppm)	pH_2PO_4	pH_2PO_4	$pHPO_4$	pPO_4
3	6.70	0.019	8.75	6.21	8.71	16.36
30	6.65	0.023	8.66	6.13	8.68	16.36
100	6.89	0.010	9.17	6.49	8.89	16.48
300	6.95	0.009	9.37	6.56	8.79	16.16
1000	6.10	0.009	9.07	6.09	8.99	16.22

TIME(MIN)	Al(ppm)	pAl	pAl+3pOH	pAl+3pOH+pH_2PO_4
3	0.140	5.897	33.00	30.71
30	0.190	5.752	33.80	30.56
100	0.085	6.136	33.74	31.03
300	0.075	6.234	33.30	30.67
1000	0.140	6.037	32.72	30.71

APPENDIX TABLE 2 (continued)

SOIL- 9

P CONCENTRATION- 100 ppm

TIME (HRS)	pH	P (ppm)	pH_2PO_4	pH_2PO_4	$pHPO_4$	pPO_4
1	5.00	15.850	6.17	3.39	5.49	12.02
10	5.00	7.580	6.50	3.62	5.82	13.14
30	5.00	5.400	6.66	3.78	5.96	13.39
100	5.50	3.300	7.36	3.98	5.69	12.50
300	5.40	1.230	7.60	4.01	6.31	13.11
1000	5.40	0.630	7.97	4.70	6.50	13.42
3000	5.30	0.360	8.11	4.93	6.83	13.86

TIME (HRS)	Al (ppm)	pAl	$pAl+3pOH$	$pAl+3pOH+pH_2PO_4$
1	0.330	5.630	32.63	39.93
10	0.335	5.613	32.61	37.23
30	0.765	5.700	32.70	37.66
100	0.200	6.089	31.59	37.07
300	0.125	6.233	32.03	37.84
1000	0.105	6.039	31.84	37.94
3000	0.105	6.111	32.21	38.54

APPENDIX TABLE 2 (continued)

SOIL- U

P CONCENTRATION- 40 ppm

TIME (HRS)	pH	P (ppm)	pH_2PO_4	pH_2PO_4	$pHPO_4$	pPO_4
1	6.65	6.600	6.91	3.69	6.04	13.51
3	6.55	5.100	6.61	3.79	6.04	13.41
10	5.10	3.960	7.01	4.03	6.13	13.36
30	5.10	1.000	6.69	3.03	6.01	13.24
100	5.60	0.400	8.38	4.96	6.50	13.22
300	5.80	0.010	10.18	6.51	7.91	14.93
1000	5.30	0.010	9.67	6.50	8.50	15.92

TIME (HRS)	Al (ppm)	pAl	pAl+3pOH	pAl+3pOH+pH_2PO_4
1	0.360	5.535	32.99	37.52
3	0.335	5.759	32.91	37.65
10	0.320	5.836	32.53	37.67
30	0.230	5.881	32.50	37.52
100	0.110	6.416	31.62	38.12
300	0.175	6.363	30.96	39.27
1000	0.195	6.983	32.08	39.08

APPENDIX TABLE 2 (continued)

SOIL- B

P CONCENTRATION- 35 ppm

TIME (DAYS)	pH	P (ppm)	pH_2PO_4	pH_3PO_4	$pHPO_4$	pPO_4
0	5.10	0.700	7.63	6.65	6.75	13.97
30	5.15	0.435	7.89	6.87	6.92	14.09
100	5.30	0.306	8.18	5.01	6.91	13.93
300	5.10	0.529	9.02	6.05	8.15	15.37
1000	5.20	0.035	9.09	5.96	7.96	15.05

TIME (DAYS)	Al (ppm)	pAl	pAl+3pOH	pAl+3pOH+pH_2PO_4
0	0.300	5.699	32.40	38.15
30	0.265	5.775	32.33	38.34
100	0.205	5.960	32.06	38.17
300	0.205	5.867	32.57	39.73
1000	0.220	5.677	32.20	39.45

APPENDIX TABLE I (continued)

SOIL- B

P CONCENTRATION- 12.5 ppm

YIELD (DRY)	pH	P (ppm)	$pH_2PO_4^+$	$pH_2PO_4^-$	$pPPO_4^+$	pPO_4^-
0	6.05	0.195	7.93	5.30	7.55	15.03
30	6.00	0.115	8.21	5.03	7.73	15.16
100	5.15	0.034	8.98	5.96	8.01	15.19
300	5.35	0.028	9.11	6.08	8.13	15.30
1000	5.30	0.020	9.27	6.19	8.19	15.32

YIELD (DRY)	Al (ppm)	pAl	$pAl+3pOH$	$pAl+3pOH+pH_2PO_4^+$
0	0.360	5.532	32.90	39.04
30	0.320	5.599	32.90	39.31
100	0.200	5.897	32.85	39.56
300	0.175	5.952	33.50	39.73
1000	0.175	5.978	33.38	39.77

APPENDIX TABLE 2 (continued)

SOIL- 9

P CONCENTRATION- 100 ppm

TIME (HRS)	pH	P (ppm)	pH_2PO_4	pH_3PO_4	$pHPO_4$	PPO_4
1	6.50	3.950	6.46	6.10	6.98	10.90
3	6.60	1.940	6.58	6.20	7.00	10.93
10	6.60	3.170	6.63	6.16	6.96	10.80
30	6.60	2.010	6.67	6.19	6.99	10.91
100	6.65	1.560	6.73	6.30	6.95	10.73
300	6.60	0.710	7.13	6.64	7.34	10.97
1000	6.80	0.160	8.17	5.49	7.89	10.43
3000	6.90	0.090	8.32	5.56	7.85	10.36

TIME (HRS)	Al (ppm)	pAl	pAl+3pOH	pAl+3pOH+pH_2PO_4
1	0.030	6.536	35.34	39.92
3	0.050	6.311	35.11	39.71
10	0.030	6.536	35.33	39.86
30	0.740	5.123	33.92	38.51
100	0.760	5.126	33.98	38.33
300	0.950	5.044	33.34	38.49
1000	1.060	5.043	32.64	38.94
3000	0.950	5.131	32.92	38.86

APPENDIX TABLE I (continued)

SOIL- I

P CONCENTRATION- 60 ppm

Vial(ml)	pH	P(ppm)	pH_2PO_4	pH_3PO_3	$pHPO_4$	pPO_4
1	6.30	1.000	6.90	6.33	7.13	15.19
3	6.40	1.500	6.87	6.10	7.09	15.03
10	6.40	1.100	6.73	6.45	7.25	15.18
30	6.40	1.300	6.69	6.41	7.21	15.14
100	6.50	0.760	7.00	6.62	7.32	15.15
300	6.80	0.330	7.64	6.99	7.39	15.01
1000	6.90	0.130	8.16	6.30	7.60	15.10

Vial(ml)	Al(ppm)	pAl	pAl+3pOH	pAl+2pOH+pH_2PO_4
1	1.260	4.909	38.01	38.53
3	1.210	4.927	33.73	38.43
10	1.000	4.729	33.53	38.36
30	2.400	4.612	33.41	38.23
100	0.810	5.092	33.89	38.73
300	0.550	5.337	33.93	38.73
1000	0.570	5.271	33.57	38.65

APPENDIF TABLE I (continued)

SOIL= 1

F CONCENTRATION= 25 ppm

TIME(HRS)	pH	F(ppm)	pH_2PO_4	pH_3PO_4	$pHPO_4$	pPO_4
0	6.50	0.000	6.92	6.55	7.24	15.07
30	6.50	0.000	6.97	6.59	7.29	15.11
100	6.70	0.575	7.31	6.73	7.33	14.86
300	6.10	0.110	6.40	5.42	7.12	14.75
1000	5.30	0.009	6.72	5.55	7.05	14.67

TIME(HRS)	Al(ppm)	pAl	pAl+3pOH	pAl+2pOH+pH_2PO_4
0	1.150	6.047	33.45	28.49
30	1.100	6.097	33.40	28.49
100	0.890	5.111	33.01	28.45
300	0.850	5.417	32.13	28.64
1000	0.310	5.760	31.86	28.71

APPENDIX TABLE 2 (continued)

SOIL- 1

P CONCENTRATION- 12.5 ppm

Time (min)	pH	P (ppm)	pH_2PO_4	pH_3PO_4	$pHPO_4$	pPO_4
5	4.30	0.650	6.85	4.68	7.87	15.60
30	4.30	0.183	7.41	5.23	8.13	16.16
105	4.50	0.350	7.46	5.08	7.78	15.61
300	5.10	0.060	6.69	5.78	7.82	15.64
1000	4.60	0.070	8.08	5.60	8.20	15.93

Time (min)	Al (ppm)	pAl	pAl+3pOH	$pAl+2pOH+pH_2PO_4$
5	1.000	6.770	33.00	38.85
30	1.500	6.607	33.91	39.44
105	0.630	6.382	33.78	39.36
300	0.850	6.615	33.32	39.13
1000	0.577	6.269	33.97	39.67

APPENDIX TABLE 2 (continued)

SOIL- AA

P CONCENTRATION- 100 ppm

TIME(DAYS)	pH	P(ppm)	pH_2PO_4	pH_2PO_4	$pHPO_4$	pPO_4
1	5.00	0.170	6.34	5.37	7.36	10.39
3	5.00	0.213	6.24	5.17	7.17	10.29
10	5.20	0.230	6.23	5.15	7.15	10.20
30	5.40	0.257	6.36	5.09	6.89	10.01
100	6.10	0.092	9.04	5.56	6.66	10.00
300	5.60	0.150	6.01	5.33	6.93	10.06
1000	5.70	0.110	9.04	5.46	6.96	10.01
3000	6.90	0.019	6.99	6.22	8.51	10.99

TIME(HRS)	Al(ppm)	pAl	$pAl+3pOH$	$pAl+2pOH+pH_2PO_4$
1	0.005	6.485	32.69	39.35
3	0.005	5.811	32.31	38.68
10	0.150	6.047	32.45	38.80
30	0.008	6.380	32.10	38.67
100	0.301	6.363	30.06	37.72
300	0.175	6.208	31.41	38.34
1000	0.120	6.447	31.35	38.51
3000	0.360	6.550	32.05	39.97

APPENDIX TABLE 2 (continued)

SOIL- AA

P CONCENTRATION- 40 ppm

TIME (HRS)	pH	P (ppm)	pH_2PO_4	pH_2PO_4	$pHPO_4$	pPO_4
1	5.10	0.000	7.69	9.72	6.83	10.04
3	5.30	0.150	8.60	9.33	7.33	11.44
10	5.30	0.080	8.67	9.59	7.59	10.72
30	5.30	0.090	8.72	9.54	7.64	10.67
100	5.60	0.010	9.98	8.50	8.10	10.83
300	5.50	0.010	9.88	8.50	8.30	10.82
1000	6.70	0.020	10.89	8.31	8.81	10.93

TIME (HRS)	Al (ppm)	pAl	pAl+3pOH	pAl+3pOH+pH_2PO_4
1	0.240	5.001	32.58	38.32
3	0.240	5.043	32.24	38.76
10	0.180	5.068	32.37	39.16
30	0.300	5.791	31.69	38.73
100	0.105	6.021	31.62	39.72
300	0.160	6.100	31.68	39.68
1000	0.270	6.979	30.80	37.89

APPENDIX TABLE 2 (continued)

[redacted]

[redacted]

[redacted]

[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]
[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]
[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]
[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]
[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]
[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]

[redacted]	[redacted]	[redacted]	[redacted]	[redacted]
[redacted]	[redacted]	[redacted]	[redacted]	[redacted]
[redacted]	[redacted]	[redacted]	[redacted]	[redacted]
[redacted]	[redacted]	[redacted]	[redacted]	[redacted]
[redacted]	[redacted]	[redacted]	[redacted]	[redacted]
[redacted]	[redacted]	[redacted]	[redacted]	[redacted]

APPENDIX TABLE 2 (continued)

SOIL- AA

P CONCENTRATION- 12.5 ppm

Time (min)	pH	P (ppm)	pH_2PO_4	pH_3PO_4	$pHPO_4$	pPO_4
3	5.10	0.060	8.69	5.73	7.82	15.04
30	5.50	0.007	10.03	6.65	8.35	15.10
100	6.25	0.010	10.66	6.56	7.69	13.96
300	6.69	0.035	10.67	6.19	6.79	12.91
1000	6.75	0.071	10.90	5.77	6.22	11.80

Time (min)	Al (ppm)	pAl	pAl+3pOH	pAl+3pOH+pH_2PO_4
3	0.215	5.030	32.53	39.35
30	0.070	6.535	33.03	39.19
100	0.025	7.579	30.83	39.63
300	0.550	6.563	30.76	37.55
1000	0.100	7.191	30.79	37.55

APPENDIX TABLE 1

Table 1. Solubility data obtained from adding 100, 50, 25, and 12.5 ppm P (anti hauts) to alkaline soils E, O, and AR.

SOIL- E

P CONCENTRATION- 100 ppm

TIME(HRS)	pH	P(ppm)	pH_2PO_4	pH_2PO_4	$pHPO_4$	PO_4
1	7.90	0.800	11.26	5.59	5.99	9.51
3	7.80	0.561	11.12	5.49	5.89	9.36
10	7.80	0.661	11.09	5.37	5.77	9.29
30	7.80	0.715	11.01	5.30	5.73	9.26
100	7.85	0.510	11.25	5.52	5.87	9.35
300	7.70	0.665	11.02	5.66	5.96	9.57
1000	7.70	0.100	11.69	6.11	6.61	10.24
3000	7.60	0.085	11.58	6.11	6.71	10.51

TIME(HRS)	Ca(ppm)	Mg(ppm)	pCa	$pH-0.5pCa$	$0.5pCa+pH_2PO_4$
1	367.	2.9	3.29	6.65	6.73
3	370.	2.9	3.30	6.65	6.59
10	359.	3.1	3.30	6.65	6.52
30	387.	3.5	3.28	6.66	6.47
100	371.	1.3	3.29	6.71	6.67
300	376.	3.4	3.28	6.56	6.50
1000	379.	2.4	3.28	6.55	7.05
3000	369.	2.5	3.29	6.66	7.25

TIME(HRS)	$pCa+pHPO_4$	$3pCa+2pPO_4$	$4pCa+pH+1pPO_4$	$10pCa+6pPO_4+2pOH$
1	7.28	25.89	45.50	92.37
3	7.19	25.63	45.09	91.57
10	7.07	25.48	44.87	91.19
30	7.01	25.35	44.69	90.73
100	7.16	25.56	45.00	91.27
300	7.32	25.90	45.53	92.61
1000	7.69	27.32	47.58	96.85
3000	8.00	27.73	48.05	98.28

SOIL- B

P CONCENTRATION- 40 ppm

Time(hrs)	pH	P(ppm)	pH_2PO_4	pH_2PO_4	$pHPO_4$	pPO_4
1	7.10	0.370	9.97	5.59	9.29	9.12
3	7.70	1.000	10.69	5.11	9.81	9.36
10	7.90	0.360	11.49	5.71	9.01	9.46
30	7.90	0.500	11.35	5.57	8.87	9.30
100	7.80	0.010	12.07	7.19	8.59	11.11
300	7.80	0.030	11.68	6.60	8.90	11.33
1000	7.50	0.010	12.39	5.97	8.67	11.69

Time(hrs)	Ca(ppm)	Mg(ppm)	pCa	pH-0.5pCa	$0.5pCa+pH_2PO_4$
1	615.	2.0	3.29	6.38	5.73
3	597.	2.6	3.26	6.57	6.36
10	597.	3.1	3.26	6.77	6.89
30	621.	3.9	3.24	6.78	6.69
100	621.	4.3	3.24	6.66	8.31
300	653.	7.6	3.22	6.29	7.71
1000	605.	3.1	3.26	6.37	8.10

Time(hrs)	$pCa+pHPO_4$	$3pCa+2pPO_4$	$4pCa+pH+3pPO_4$	$10pCa+6pPO_4+2pOH$
1	6.56	34.97	61.84	90.17
3	6.87	35.36	66.65	90.63
10	7.87	35.66	65.36	91.65
30	7.11	35.31	64.75	90.37
100	8.83	36.96	60.09	101.66
300	8.62	39.30	60.35	103.32
1000	8.92	39.75	61.00	104.51

APPENDIX TABLE 1 (continued)

SOIL- B

P CONCENTRATION- 35 ppm

TIME (HRS)	pH	P (ppm)	pH_2PO_4	pH_2PO_4	$pHPO_4$	pPO_4
3	7.60	0.050	11.81	6.36	5.96	10.66
30	7.30	0.044	11.36	6.20	6.10	11.13
100	7.60	0.017	12.30	6.81	6.81	11.13
300	7.80	0.009	12.83	6.95	6.75	11.67
1000	7.80	0.003	12.70	7.53	7.21	12.15

TIME (HRS)	Ca (ppm)	Mg (ppm)	pCa	pH-0.5pCa	$0.5pCa+pH_2PO_4$
3	367.	3.6	3.29	6.45	7.40
30	358.	3.9	3.30	6.15	7.35
100	359.	3.3	3.30	6.45	7.96
300	358.	3.6	3.30	6.25	8.10
1000	360.	3.6	3.29	6.21	8.60

TIME (HRS)	$pCa+pHPO_4$	$3pCa+2pPO_4$	$6pCa+pH+3pPO_4$	$10pCa+6pPO_4+2pOH$
3	8.25	38.30	68.75	99.69
30	8.40	39.15	69.88	103.15
100	8.70	39.14	80.10	103.56
300	9.05	30.29	51.63	106.23
1000	9.56	31.39	53.21	109.50

APPENDIX TABLE 3 (continued)

SOIL- B

P CONCENTRATION- 12.5 ppm

TIME (HRS)	pH	P (ppm)	pH_2PO_4	pH_2PO_4	$pHPO_4$	pPO_4
3	7.40	0.010	11.92	6.65	6.65	11.57
30	7.30	0.012	11.94	6.77	6.67	11.69
100	7.20	0.003	12.39	7.32	7.31	12.44
300	7.40	0.011	12.14	6.66	6.66	11.59
1000	7.75	0.001	13.70	8.15	7.60	13.17

TIME (HRS)	Ca (ppm)	Mg (ppm)	pCa	$pH-0.5pCa$	$0.5pCa+pH_2PO_4$
3	383.	3.6	3.39	6.35	7.80
30	371.	3.3	3.39	6.16	7.01
100	376.	3.0	3.38	6.06	6.46
300	388.	3.6	3.31	6.24	6.02
1000	376.	3.3	3.38	6.61	9.39

TIME (HRS)	$pCa+pHPO_4$	$3pCa+2pPO_4$	$5pCa+pH+3pPO_4$	$10pCa+6pPO_4+2pOH$
3	8.75	29.63	50.70	104.39
30	8.95	30.39	51.52	106.43
100	9.60	31.73	53.65	111.07
300	8.97	30.11	51.61	105.65
1000	9.88	31.39	53.90	108.17

APPENDIX TABLE 1 (continued)

SOIL- G

P CONCENTRATION- 100 ppm

TIME(HRS)	pH	P(ppm)	$pH_2PO_4^+$	pH_2PO_4	$pHPO_4^-$	pPO_4^{---}
1	8.10	1.070	11.39	5.91	0.51	0.74
3	8.10	1.700	11.19	5.81	0.31	0.56
10	8.10	2.030	11.11	5.76	0.24	0.46
30	8.10	2.160	11.08	5.71	0.21	0.43
100	8.10	1.695	11.20	5.83	0.33	0.55
300	8.00	1.300	11.13	5.85	0.45	0.77
1000	7.90	0.380	11.47	5.89	0.89	0.83
3000	7.90	0.355	11.51	5.73	0.01	0.96

TIME(HRS)	Ca(ppm)	Mg(ppm)	pCa	$pH-0.5pCa$	$0.5pCa+pH_2PO_4^+$
1	387.	33.7	3.36	6.97	6.56
3	382.	18.6	3.33	6.93	6.38
10	380.	15.3	3.42	6.89	6.35
30	315.	15.3	3.46	6.87	6.36
100	311.	13.1	3.47	6.87	6.46
300	338.	16.9	3.43	6.79	6.46
1000	353.	17.3	3.40	6.70	6.69
3000	350.	21.2	3.39	6.70	6.93

TIME(HRS)	$pCa+pHPO_4^-$	$3pCa+2pPO_4^{---}$	$4pCa+pH+3pPO_4^{---}$	$10pCa+6pPO_4^{---}+2pOH^-$
1	6.77	36.35	83.35	86.81
3	6.64	36.07	83.04	86.34
10	6.65	36.18	83.16	86.75
30	6.67	36.35	83.36	87.01
100	6.79	36.51	83.63	87.79
300	6.86	36.80	83.98	88.80
1000	7.39	38.02	85.73	93.64
3000	7.43	38.09	85.86	93.85

APPENDIX TABLE 1 (continued)

SOIL- 0

P CONCENTRATION- 40 ppm

Time (min)	pH	P (ppm)	pH_2PO_4	pH_2PO_4	$pHPO_4$	PO_4
1	7.60	1.980	10.22	6.74	4.34	9.04
5	7.60	1.800	10.26	6.78	4.38	9.11
10	7.60	1.750	10.27	6.79	4.39	9.13
30	7.60	1.920	10.23	6.75	4.35	9.06
100	7.60	1.860	10.15	6.78	4.47	9.30
300	7.60	1.500	10.00	6.73	4.53	9.45
1000	7.60	0.990	10.32	6.04	4.66	9.37

Time (min)	Ca (ppm)	Mg (ppm)	pCa	pH-0.5pCa	$0.5pCa+pH_2PO_4$
1	393.	20.1	3.34	6.43	5.91
5	398.	19.3	3.34	6.43	5.95
10	380.	20.1	3.33	6.43	5.96
30	313.	23.0	3.31	6.44	5.91
100	309.	21.5	3.32	6.38	5.98
300	335.	24.6	3.29	6.36	5.87
1000	317.	23.9	3.31	6.43	6.00

Time (min)	$pCa+pH_2PO_4$	$3pCa+2pPO_4$	$4pCa+pH+3pPO_4$	$10pCa+6pPO_4+2pOH$
1	6.68	35.15	55.15	90.58
5	6.72	35.33	55.36	90.79
10	6.73	35.31	55.38	90.83
30	6.67	35.10	55.09	90.43
100	6.80	35.57	55.69	91.05
300	6.81	35.76	55.90	91.78
1000	6.95	35.65	55.93	91.96

APPENDIX TABLE 1 (continued)

SOIL- 0

P CONCENTRATION- 25 ppm

TIME (HRS)	pH	P (ppm)	pH_2PO_4	pH_2PO_4	$pHPO_4$	pPO_4
1	7.75	0.575	11.02	8.38	6.86	9.91
30	7.55	0.710	10.64	8.22	6.87	9.66
100	7.70	0.513	10.90	8.40	6.90	9.52
300	7.60	0.268	10.92	8.34	6.24	10.06
1000	7.75	0.169	11.55	8.92	6.37	9.95

TIME (HRS)	Ca (ppm)	Mg (ppm)	pCa	$pH-0.5pCa$	$0.5pCa+pH_2PO_4$
1	393.	17.0	3.91	6.55	6.59
30	399.	19.7	3.90	6.35	6.62
100	353.	21.6	3.39	6.51	6.59
300	351.	23.0	3.38	6.31	6.73
1000	335.	23.7	3.91	6.55	7.13

TIME (HRS)	$pCa+pHPO_4$	$3pCa+2pPO_4$	$4pCa+pH+3pPO_4$	$10pCa+6pPO_4+2pOH$
1	7.85	36.05	45.62	93.06
30	7.87	36.49	46.15	95.76
100	7.89	36.21	45.82	93.60
300	7.68	37.28	47.33	97.32
1000	7.78	37.11	47.22	96.25

APPENDIX TABLE 3 (continued)

SOIL- 0

P CONCENTRATION- 12.5 ppm

TIME(HRS)	pH	P(ppm)	pH_2PO_4	pH_2PO_4	$pHPO_4$	pPO_4
0	7.40	0.260	10.97	5.50	5.69	9.62
30	7.60	0.193	11.23	5.75	5.15	10.08
100	7.60	0.213	10.68	5.61	5.21	10.11
300	7.50	0.183	11.00	5.71	5.40	10.23
1000	7.60	0.225	11.10	5.69	5.20	10.01

TIME(HRS)	Ca(ppm)	Mg(ppm)	pCa	pH-0.5pCa	$0.5pCa+pH_2PO_4$
0	240.	10.5	3.10	6.60	6.70
30	240.	17.9	3.10	6.60	6.95
100	241.	19.3	3.41	6.20	6.61
300	239.	21.0	3.41	6.30	6.91
1000	240.	23.2	3.39	6.40	6.80

TIME(HRS)	$pCa+pHPO_4$	$3pCa+2pPO_4$	$4pCa+pH+3pPO_4$	$10pCa+6pPO_4+2pOH$
0	7.49	36.84	66.68	95.71
30	7.75	37.35	67.43	97.36
100	7.61	37.49	67.42	96.86
300	7.61	37.68	67.61	96.43
1000	7.60	37.20	67.21	96.80

APPENDIX TABLE 3 (continued)

SOIL- AB

P CONCENTRATION- 90 ppm

TIME(HRS)	pH	P(ppm)	pH_2PO_4	$pH_4P_2O_7$	$pHPO_4$	pP_2O_7
1	6.70	30.550	7.61	3.30	3.00	9.62
3	6.90	15.600	8.35	3.47	3.77	9.20
10	7.00	10.300	8.56	3.69	3.89	9.21
30	7.30	3.750	1.45	4.27	4.17	9.20
100	7.00	11.700	8.51	3.64	3.03	9.16
300	6.00	11.350	8.36	3.50	3.98	9.51
1000	7.30	4.920	9.33	4.15	4.05	9.00

TIME(HRS)	Ca(ppm)	Mg(ppm)	pCa	$pH-0.5pCa$	$0.5pCa+pH_2PO_4$
1	350.	30.0	3.20	5.50	6.44
3	337.	30.1	3.29	5.75	6.63
10	337.	33.1	3.29	5.66	6.63
30	333.	34.3	3.30	6.15	6.63
100	341.	33.6	3.28	5.86	6.78
300	395.	37.0	3.23	5.69	6.70
1000	378.	39.5	3.29	6.10	6.37

TIME(HRS)	$pCa+pHPO_4$	$3pCa+2pPO_4$	$6pCa+pH+3pPO_4$	$10pCa+6pPO_4+3pOH$
1	6.00	35.66	66.66	93.92
3	6.06	35.37	63.66	93.30
10	6.10	35.39	63.79	93.16
30	6.46	35.36	66.65	91.96
100	6.12	35.17	63.61	91.80
300	6.21	35.70	66.23	93.71
1000	6.29	36.07	63.59	90.36

APPENDIX TABLE 3 (continued)

SOIL: AB

P CONCENTRATION: 40 ppm

Time (min)	pH	P (ppm)	pH_2PO_4	pH_2PO_4	$pHPO_4$	pPO_4
1	7.80	1.850	8.99	9.91	9.91	9.09
3	7.40	3.980	9.40	9.13	9.93	9.05
10	7.50	3.950	9.75	9.37	9.87	9.90
30	7.50	3.600	9.65	9.31	9.80	9.03
100	7.70	1.690	10.46	9.80	9.10	9.01
300	7.90	0.870	11.22	9.95	9.79	9.17
1000	7.90	1.950	10.96	9.68	9.10	9.20

Time (min)	Ca (ppm)	Mg (ppm)	pCa	$pH-0.5pCa$	$0.5pCa+pH_2PO_4$
1	353.	33.0	2.87	6.06	5.05
3	339.	31.6	2.89	6.05	5.07
10	339.	34.7	2.89	6.06	5.08
30	350.	34.9	2.87	6.06	5.06
100	334.	36.1	2.89	6.06	6.05
300	375.	39.5	2.84	6.78	6.07
1000	401.	38.2	2.79	6.90	5.80

Time (min)	$pCa+pHPO_4$	$2pCa+2pPO_4$	$4pCa+pH+3pPO_4$	$10pCa+5pPO_4+2pOH$
1	8.19	24.69	53.48	90.55
3	8.32	25.58	55.13	89.25
10	8.36	25.65	53.34	89.25
30	8.28	24.97	53.06	88.69
100	8.67	26.08	55.87	89.51
300	8.99	25.06	56.38	89.64
1000	8.63	25.13	55.87	90.62

APPENDIX TABLE 3 (continued)

[redacted]

[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]
0	7.40	0.260	9.83	6.05	6.35	0.07
50	7.00	1.855	9.59	6.53	6.42	0.64
100	7.00	1.400	10.19	6.76	6.46	0.39
300	7.35	1.360	9.97	6.71	6.59	0.56
1000	7.45	1.250	10.10	6.86	6.61	0.48

[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]
0	333.	21.7	0.00	0.35	0.70
50	331.	21.1	0.31	0.65	0.67
100	330.	22.7	1.00	0.35	0.01
300	327.	22.0	0.00	0.20	0.00
1000	325.	21.0	0.10	0.30	0.01

[redacted]	[redacted]	[redacted]	[redacted]	[redacted]
0	6.65	85.46	98.44	91.88
50	6.87	86.30	93.35	90.52
100	6.76	85.46	90.54	91.60
300	6.89	86.02	93.24	93.67
1000	6.91	85.87	93.10	93.00

APPENDIX TABLE 3 (continued)

SOIL- A8

P CONCENTRATION- 12.5 ppm

Time(hrs)	pH	P (ppm)	pH_2PO_4	pH_2PO_4	$pHPO_4$	pPO_4
0	7.40	0.660	10.36	5.08	5.08	9.61
30	7.40	0.680	10.34	5.07	5.07	9.79
100	7.50	0.670	10.66	5.29	5.99	9.81
300	7.40	0.370	10.61	5.36	5.13	10.06
1000	7.70	0.650	11.03	5.96	5.95	9.50

Time(hrs)	Ca (ppm)	Mg (ppm)	pCa	$pH-0.5pCa$	$0.5pCa+pH_2PO_4$
0	333.	21.6	6.09	6.35	6.81
30	331.	21.3	6.31	6.35	6.32
100	331.	21.8	6.30	6.35	6.66
300	316.	21.6	6.31	6.39	6.69
1000	313.	21.7	6.33	6.10	6.61

Time(hrs)	$pCa+pHPO_4$	$5pCa+2pPO_4$	$4pCa+pH+3pPO_4$	$10pCa+6pPO_4+2pH$
0	7.10	36.50	46.00	99.99
30	7.17	36.50	46.00	95.01
100	7.00	36.51	46.13	99.83
300	7.05	37.05	46.83	96.67
1000	7.07	36.10	45.70	93.23

APPENDIX TABLE 3 (continued)

APPENDIX TABLE 4

Table 4. Solubility data obtained from adding 100, 50, 25, and 12.5 ppm P (soil basis) to neutral soil - AC.

SOIL- AC

P CONCENTRATION- 100 ppm

Vial(ml)	pH	P(ppm)	pH_2PO_4	pH_2PO_4	$pHPO_4$	pPO_4
1	5.90	7.450	7.62	3.68	6.96	11.36
3	5.90	7.850	7.39	3.62	6.93	11.39
10	5.90	8.700	7.35	3.57	6.87	11.38
30	6.00	13.150	7.27	3.48	6.69	10.92
100	6.40	5.560	6.89	3.81	6.61	10.53
300	6.20	2.980	6.13	4.96	5.06	11.18
500	6.00	1.850	6.12	4.45	5.45	11.77
1000	5.80	1.300	6.09	4.37	5.77	12.17

Vial(ml)	Ca(ppm)	Mg(ppm)	pCa	$pH-0.5pCa$	$0.5pCa+pH_2PO_4$
1	360.	5.2	2.29	4.75	4.70
3	371.	5.2	2.28	4.76	4.76
10	371.	5.5	2.28	4.76	4.71
30	366.	5.9	2.29	4.86	4.58
100	359.	6.2	2.30	5.25	4.96
300	365.	6.4	2.31	5.05	5.31
1000	353.	6.3	2.30	4.85	5.60
3000	367.	6.9	2.31	4.65	5.56

Vial(ml)	$pCa+pHPO_4$	$3pCa+2pPO_4$	$4pCa+pH+3pPO_4$	$10pCa+6pPO_4+2pOH$
1	7.23	29.61	60.17	107.32
3	7.20	29.53	59.05	107.07
10	7.15	29.44	58.92	106.80
30	6.89	28.71	57.92	104.52
100	6.91	27.97	57.21	101.63
300	7.36	29.20	58.97	105.76
1000	7.75	30.65	60.58	109.69
3000	8.07	31.51	61.91	113.23

GOAL- A1

P CONCENTRATION- 40 ppm

Visit (hrs)	pH	P (ppm)	pH_3PO_4	pH_2PO_4	$pHPO_4$	pPO_4
1	5.80	7.380	7.32	5.64	5.04	11.56
3	6.00	6.000	7.62	5.76	4.99	11.36
10	6.00	3.630	7.83	5.96	5.16	11.48
30	6.00	4.380	7.73	5.86	5.06	11.38
100	6.10	1.600	8.30	6.33	5.43	11.66
300	6.30	0.300	9.13	6.66	6.05	12.18
1000	6.90	1.890	8.81	6.25	5.53	11.96

Visit (hrs)	Ca (ppm)	Mg (ppm)	pCa	pH-0.5pCa	$0.5pCa+pH_2PO_4$
1	388.	6.1	2.87	6.67	6.77
3	336.	2.7	2.93	6.83	6.91
10	462.	5.1	2.69	6.50	6.66
30	510.	6.9	2.65	6.68	6.98
100	388.	6.5	2.87	6.97	6.65
300	445.	6.6	2.73	6.89	6.16
1000	413.	5.8	2.79	6.70	5.36

Visit (hrs)	$pCa+pHPO_4$	$3pCa+2pPO_4$	$6pCa+pH+3pPO_4$	$10pCa+6pPO_4+2pOH$
1	7.31	39.93	69.56	158.46
3	7.27	39.63	69.11	156.92
10	7.36	39.58	69.36	156.93
30	7.30	39.50	69.13	156.75
100	7.69	38.89	68.10	158.14
300	8.27	41.81	71.41	170.85
1000	7.70	38.65	68.76	170.90

APPENDIX TABLE A (continued)

SOIL= AC

P CONCENTRATION= 35 ppm

TIME(HRS)	pH	P(ppm)	pH_2PO_4	pH_2PO_4	$pHPO_4$	pPO_4
0	6.10	0.130	8.17	4.20	5.59	11.52
30	6.40	0.550	9.09	4.81	5.61	11.59
100	6.50	0.875	10.57	5.79	6.09	11.52
300	6.60	0.610	11.53	6.56	6.96	12.40
1000	6.60	0.960	10.05	5.70	6.50	12.50

TIME(HRS)	Ca(ppm)	Mg(ppm)	pCa	$pH-0.5pCa$	$0.5pCa+pH_2PO_4$
0	340.	6.0	3.30	5.95	5.35
30	330.	5.2	3.33	5.34	5.90
100	345.	6.2	3.31	5.75	6.95
300	336.	5.8	3.38	5.66	7.73
1000	350.	5.0	3.31	5.35	5.93

TIME(HRS)	$pCa+pHPO_4$	$3pCa+2pPO_4$	$4pCa+pH+3pPO_4$	$10pCa+6pPO_4+2pOH$
0	7.60	20.95	49.60	107.96
30	7.93	20.04	50.30	107.64
100	8.90	20.96	50.60	106.37
300	9.37	21.93	53.51	112.47
1000	8.80	21.93	53.12	113.26

APPENDIX TABLE 4 (continued)

SOIL: A0

P CONCENTRATION= 13.5 ppm

TIME(HRS)	pH	P(ppm)	$pH_2PO_4^+$	pH_2PO_4	$pHPO_4^-$	pPO_4
0	6.00	0.300	8.00	9.01	6.01	12.54
30	6.30	0.010	10.61	6.53	7.53	13.66
100	6.50	0.003	11.97	7.00	7.79	13.63
300	6.50	0.006	11.67	6.89	7.19	13.61
1000	6.00	0.027	9.96	6.09	7.30	13.61

TIME(HRS)	Ca(ppm)	Mg(ppm)	pCa	$pH-0.5pCa$	$0.5pCa+pH_2PO_4^+$
0	339.	5.9	2.31	6.84	8.17
30	348.	4.8	2.31	5.85	7.69
100	342.	5.8	2.31	5.34	8.35
300	327.	5.6	2.33	5.74	8.05
1000	350.	5.6	2.31	5.05	7.09

TIME(HRS)	$pCa+pH_2PO_4^+$	$3pCa+2pPO_4$	$5pCa+pH+3pPO_4$	$10pCa+6pPO_4+2pOH$
0	8.53	32.02	52.87	116.36
30	9.84	34.23	56.40	120.60
100	10.10	34.17	56.69	119.81
300	9.53	33.31	54.05	113.16
1000	9.40	34.16	56.09	120.00

APPENDIX TABLE 5

Table 5. Reaction products of applied $Ca(H_2PO_4)_2 \cdot H_2O$ as identified by X-ray diffraction analysis.

Time (hrs)	$Ca(H_2PO_4)_2 \cdot H_2O$ (%)	$CaHPO_4$ (%)	$CaHPO_4 \cdot 2H_2O$ (%)
SOIL - A			
1	40	60	--
5	10	55	35
10	--	37	63
50	--	30	70
100	--	35	65
500	--	40	60
600	--	49	51
1000	--	45	55
SOIL - B			
1	40	60	--
5	10	55	30
10	--	65	55
70	--	37	35
100	--	37	35
300	--	30	70
600	--	35	65
1000	--	30	80
SOIL - AC			
1	100	--	--
5	100	--	--
10	30	70	--
30	10	90	--
100	--	50	50
300	--	55	45
600	--	40	60
1000	--	50	50